

Bay Area Air Quality Management District Exceedances of the California 1-Hour Ozone Standard for 2008

Exceedances are based on preliminary ozone measurements. Final determination may change after all quality assurance checks are completed. The state 1-hour ozone standard is 0.09 ppm (90ppb). Concentrations greater than or equal to 95 ppb are exceedances.

As of 10/26/08

[illegible]

Exceedances of the California 8-Hour Ozone Standard for 2008

Exceedances are based on preliminary ozone measurements. Final determination may change after all quality assurance checks are completed. The State 8-hour ozone standard is 0.070 ppm (70 ppb). 8-hour average concentrations greater than or equal to 71 ppb are exceedances.

As of 10/26/08

| Station Location | Maximum 8-hr Conc in ppb | Total State 8-Hour Excess | 4/12 | 4/13 | 6/19 | 6/20 | 6/22 | 6/23 | 6/24 | 6/27 | 7/7 | 7/8 | 7/9 | 8/13 | 9/3 | 9/4 | 9/5 | 9/6 | 9/24 | 10/17 | 10/25 | 10/26 | |
|------------------------|--------------------------------|------------------------------------|------|------|------|------|------|------|------|------|-----|-----|-----|------|-----|-----|-----|-----|------|-------|-------|-------|--|
| NORTH COUNTIES | | | | | | | | | | | | | | | | | | | | | | | |
| Napa | 77 | 2 | | 76 | | | | | | | | 77 | | | | | | | | | | | |
| San Rafael | 69 | 0 | | | | | | | | | | | | | | | | | | | | | |
| Santa Rosa | 64 | 0 | | | | | | | | | | | | | | | | | | | | | |
| Vallejo | 75 | 3 | | 75 | | | | | | | | 72 | | | | 72 | | | | | | | |
| COAST & CENTRAL BAY | | | | | | | | | | | | | | | | | | | | | | | |
| Berkeley | 49 | 0 | | | | | | | | | | | | | | | | | | | | | |
| Oakland | 67 | 0 | | | | | | | | | | | | | | | | | | | | | |
| San Francisco-Arkansas | 66 | 0 | | | | | | | | | | | | | | | | | | | | | |
| San Pablo | 63 | 0 | | | | | | | | | | | | | | | | | | | | | |
| EASTERN DISTRICT | | | | | | | | | | | | | | | | | | | | | | | |
| Benicia | 86 | 6 | | 73 | | | | | | | | 86 | | | | 75 | 76 | | | 77 | 71 | | |
| Bethel Island | 90 | 10 | | 71 | | | | 71 | 77 | 72 | 84 | 90 | | 72 | | 73 | 76 | | | | | 71 | |
| Concord | 88 | 8 | | 80 | | 77 | | | | 78 | 74 | 88 | 78 | | | 76 | 74 | | | | | | |
| Fairfield | 90 | 2 | | | | | | | | | | 90 | | | | | 71 | | | | | | |
| Livermore | 110 | 8 | | 76 | | | | | | | 87 | 110 | 89 | 91 | 71 | 71 | 78 | | | | | | |
| Pittsburg | 83 | 2 | | | | | | | | | 73 | 83 | | | | | | | | | | | |
| SOUTH CENTRAL BAY | | | | | | | | | | | | | | | | | | | | | | | |
| Fremont | 78 | 3 | 73 | 78 | | | | | | | | 74 | | | | | | | | | | | |
| Hayward | 90 | 3 | | 75 | | | | | | | | 90 | | | | 71 | | | | | | | |
| Redwood City | 69 | 0 | | | | | | | | | | | | | | | | | | | | | |
| San Leandro | 68 | 0 | | | | | | | | | | | | | | | | | | | | | |
| SANTA CLARA VALLEY | | | | | | | | | | | | | | | | | | | | | | | |
| Gilroy | 79 | 4 | | | 73 | | | 79 | | | | | | | | | 72 | 74 | | | | | |
| Los Gatos | 97 | 6 | 75 | 73 | | | | | | | 74 | 97 | 77 | | 71 | | | | | | | | |
| San Jose-Central | 80 | 3 | 74 | 80 | | | | | | | | 78 | | | | | | | | | | | |
| San Martin | 77 | 5 | | | 72 | | | | | | | 77 | 71 | | | 77 | | | 71 | | | | |
| Sunnyvale | 76 | 2 | 74 | 76 | | | | | | | | | | | | | | | | | | | |
| TOTAL DAYS | | 20 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | |

Bay Area Air Quality Management District
Exceedances of the Revised National 8-Hour Ozone Standard for 2008

Exceedances are based on preliminary ozone measurements. Final determination may change after all quality assurance checks are completed. The national 8-hour ozone standard was 0.08 ppm until May 26, 2008. On May 27, 2008 the standard was changed to 0.075 ppm (75 ppb). 8-hour average concentrations greater than the standard are exceedances.

As of 10/26/08

[illegible]

